(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Print date: 07/31/2002

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings 	
				Rating class and limiting features			Value
1B: Gaila	- - 95	 Not limited 		 Not limited	 	 Somewhat limited Slope	0.50
1C: Gaila				 Somewhat limited Slope	 0.63	 Very limited Slope	1.00
2A: Glenelg	95	 Not limited	 	 Not limited	 	 Not limited	
2B: Glenelg	 - 95 	 Not limited 		 Not limited 		 Somewhat limited Slope	0.50
2C: Glenelg		 Somewhat limited Slope	0.63	 Somewhat limited Slope	0.63	 Very limited Slope	1.00
2UB: Glenelg	- 50	 Not limited		 Not limited	 	 Not limited	
Urban Land	- 45	 Not rated		 Not rated		 Not rated	
2UC: Glenelg		 Somewhat limited Slope	0.63	 Somewhat limited Slope	 0.63	 Very limited Slope	1.00
Urban Land	- 45	 Not rated		 Not rated		 Not rated	
4B: Elioak	- 100	 Not limited 		 Not limited 	 	 Somewhat limited Slope	0.50
4C: Elioak	- 100	 Somewhat limited Slope				 Very limited Slope	1.00
5A: Glenville	 - 95 	 Somewhat limited Depth to saturated zone	0.81	 Very limited Depth to saturated zone	11.00	 Somewhat limited Depth to saturated zone	0.81
5B: Glenville	 - 95 	 Somewhat limited Depth to saturated zone 		 Very limited Depth to saturated zone 	11.00	 Somewhat limited Depth to saturated zone Slope	0.81

Table ENG-3.--Building Site Development--Continued

	Pct. of map unit	basements				 Small commercia buildings 	1
				 Rating class and limiting features 			Value
6A: Baile	100	saturated zone		 Very limited Depth to saturated zone			11.00
7UB: Gaila	50	 Not limited		 Not limited		 Not limited	
Urban Land	45	Not rated		 Not rated		 Not rated	
7UC: Gaila				 Somewhat limited Slope	0.63		1.00
Urban Land	45	Not rated		 Not rated 		 Not rated 	
9B: Linganore	 50 	 Not limited 		 Somewhat limited Depth to soft bedrock		 Somewhat limited Slope 	0.50
Hyattstown	 30 	 Somewhat limited Depth to soft bedrock	11.00	 Very limited Depth to soft bedrock	11.00	 Somewhat limited Depth to soft bedrock Slope	1.00
9C: Linganore	 50 	 Somewhat limited Slope 	0.63 		 0.63 0.46	Slope	11.00
Hyattstown	30	Depth to soft bedrock	1.00	Depth to soft bedrock	11.00	I	11.00
		Slope 	0.63	Slope 	10.63	Depth to soft bedrock	11.00
16B: Brinklow	50	 Somewhat limited Shrink-swell	0.50	 Very limited Depth to hard bedrock	1.00	 Somewhat limited Slope	0.50
		Depth to hard bedrock	0.46		0.50	 Shrink-swell 	0.50
			į Į		İ	Depth to hard bedrock	0.46
Blocktown	 30 	 Somewhat limited Depth to soft bedrock 	1.00	 Very limited Depth to soft bedrock 	1.00	 Somewhat limited Depth to soft bedrock Slope 	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	 Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		 Rating class and limiting features 		 Rating class and limiting features 		 Rating class and limiting features 	Value
16C: Brinklow	 - 50 	 Somewhat limited Slope Shrink-swell Depth to hard bedrock	0.63	Depth to hard bedrock Slope	1.00	 Very limited Slope Shrink-swell Depth to hard bedrock	 1.00 0.50 0.46
Blocktown	 - 30 	Depth to soft bedrock	1.00	Depth to soft bedrock	11.00	 Very limited Slope Depth to soft bedrock	1.00
16D: Brinklow	 - 50 	Slope Shrink-swell 	1.00	 Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 0.50		 1.00 0.50 0.46
Blocktown	30	Slope	1.00		11.00	 Very limited Slope Depth to soft bedrock	1.00
17B: Occoquan	 - 80 	 Not limited 		 Not limited 	 	 Somewhat limited Slope	0.50
17C: Occoquan		 Somewhat limited Slope		 Somewhat limited Slope		 Very limited Slope	1.00
18C: Penn	 - 95 	 Somewhat limited Slope 				Slope	1.00
18E: Penn	 - 95 	 Very limited Slope 	11.00		11.00	 Very limited Slope 	1.00
19A: Bucks	 - 85 	 Somewhat limited Shrink-swell	0.50	 Somewhat limited Shrink-swell	 0.50	 Somewhat limited Shrink-swell	0.50
19B: Bucks	 - 85 	 Somewhat limited Shrink-swell 	0.50	 Somewhat limited Shrink-swell 	 0.50 	 Somewhat limited Slope Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	 Pct. of map unit	basements		Dwellings with basements		Small commercial buildings 	
	 	 Rating class and limiting features 	Value 	 Rating class and limiting features 		 Rating class and limiting features 	Value
20A: Brentsville	100	 Somewhat limited Depth to hard bedrock	0.46	 Very limited Depth to hard bedrock		 Somewhat limited Depth to hard bedrock	 0.46
20B: Brentsville	100			 Very limited Depth to hard bedrock	 1.00	ĺ	0.50
20C: Brentsville	100	Slope 		Depth to hard bedrock		bedrock Very limited Slope 	0.46 1.00 0.46
21A: Penn	 95 	 Not limited 	 		 0.46	 Not limited 	
21B: Penn	 - 95 	 Not limited 	 	 Somewhat limited Depth to soft bedrock	 0.46	 Somewhat limited Slope 	 0.50
21C: Penn	 - 95 	 Somewhat limited Slope 		Slope	 0.63 0.46		1.00
21D: Penn	 - 95 		1.00	Slope	 1.00 0.46		1.00
21E: Penn	 95 	 Very limited Slope 	1.00		11.00		1.00
21F: Nestoria	 - 65 	Slope	 1.00 1.00		 1.00 1.00		 1.00 1.00
Rock Outcrop	 20 	 Not rated 	 	 Not rated 	 	 Not rated 	

Table ENG-3.--Building Site Development--Continued

	 Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings 	
	 	 Rating class and limiting features 		 Rating class and limiting features 			Value
22A: Readington	 80 	 Somewhat limited Depth to saturated zone	0.07	 Very limited Depth to saturated zone	1 1.00	 Somewhat limited Depth to saturated zone	0.07
22B: Readington	 80 	Depth to	0.07	 Very limited Depth to saturated zone 	11.00	I	0.50
23A: Croton		Depth to saturated zone	1.00	Depth to saturated zone Shrink-swell	11.00	saturated zone Shrink-swell	1.00
24C: Montalto		Shrink-swell		Slope	0.63		1.00
24D: Montalto	 100 	Slope	11.00	Slope	11.00		1.00
25B: Legore	 85 		 0.50 	 Not limited 	 		0.50
25C: Legore		Slope		 Somewhat limited Slope 		Slope	1.00
26B: Montalto	 100 				 0.50		1.00
26C: Montalto	 100 		 1.00 0.63		 0.63 0.50	 Very limited Slope Shrink-swell	1.00
27B: Neshaminy	100	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope	0.50
27C: Neshaminy	 100 	 Somewhat limited Slope 	 0.63	 Somewhat limited Slope 	 0.63	 Very limited Slope 	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	 Pct. of map unit	basements	Dwellings without basements			Small commercial buildings 	
	 .	 Rating class and limiting features 	Value	 Rating class and limiting features 		 Rating class and limiting features 	Value
28A: Watchung	100	Depth to saturated zone		Depth to saturated zone	1.00	 Very limited Depth to saturated zone Shrink-swell	11.00
29B: Jackland	 85 	Sħrink-swell		saturated zone	 1.00 	 Very limited Shrink-swell Depth to saturated zone Slope	1.00
35B: Chrome	 50 	Shrink-swell		bedrock	 1.00 0.50 	ĺ	0.50
Conowingo	30	 Somewhat limited Depth to saturated zone Shrink-swell 	0.77 	saturated zone		 Somewhat limited Depth to saturated zone Slope Shrink-swell	 0.77 0.50
35C: Chrome	 100 100 	Slope 		bedrock Slope	 1.00 0.63 0.50	 Shrink-swell	 1.00 0.50 0.46
36A: Conowingo	95	 Somewhat limited Depth to saturated zone Shrink-swell		saturated zone	1.00	 Somewhat limited Depth to saturated zone Shrink-swell	 0.77 0.50
37B: Travilah	95	Somewhat limited Depth to saturated zone Shrink-swell Depth to hard bedrock	0.98	 Very limited Depth to saturated zone Depth to hard bedrock Shrink-swell	1.00	Somewhat limited Depth to saturated zone Slope Shrink-swell Depth to hard bedrock	0.98

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	 Pct. of map unit	į i		Dwellings with basements		Small commercial buildings	
				 Rating class and limiting features 			Value
41A: Elsinboro	85	 Not limited 	 	 Somewhat limited Depth to saturated zone	0.16	 Not limited 	
41B: Elsinboro	 85 	 Not limited 		 Somewhat limited Depth to saturated zone	0.16	 Somewhat limited Slope 	0.50
43A: Elk	100	 Very limited Flooding	 1.00	 Very limited Flooding	 1.00	 Very limited Flooding	1.00
45A: Delanco	100	Flooding Depth to	 1.00 0.81 0.50	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 0.50	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00
46A: Huntington	85	 Very limited Flooding	 1.00	 Very limited Flooding	 1.00	 Very limited Flooding	1.00
47A: Lindside	 80 	 Very limited Flooding Depth to saturated zone	1.00	 Very limited Flooding Depth to saturated zone	 1.00 1.00	 Very limited Flooding Depth to saturated zone	1.00
48A: Melvin	100	 Very limited Flooding Depth to saturated zone	1.00	 Very limited Flooding Depth to saturated zone	 1.00 1.00	 Very limited Flooding Depth to saturated zone	1.00
50A: Rowland	 85 	 Very limited Flooding Depth to saturated zone	11.00	 Very limited Flooding Depth to saturated zone	11.00	 Very limited Flooding Depth to saturated zone	1.00
51A: Bowmansville	70	 Very limited Flooding Depth to saturated zone	1.00	 Very limited Flooding Depth to saturated zone	1.00	 Very limited Flooding Depth to saturated zone	11.00
Melvin	 25 	 Very limited Flooding Depth to saturated zone 	11.00	saturated zone	 1.00 1.00	saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	 Pct. of map unit	basements			Dwellings with basements		Small commercial buildings	
		 Rating class and limiting features 		 Rating class and limiting features		 Rating class and limiting features 	Value	
53A: Codorus	90	Flooding Depth to	10.98	 Very limited Flooding Depth to saturated zone	11.00	Depth to	11.00	
54A: Hatboro		 Very limited Flooding Depth to saturated zone	1.00 1.00	 Very limited Flooding Depth to saturated zone	1.00 1.00	 Very limited Flooding Depth to saturated zone	11.00	
55C: Evesboro				 Somewhat limited Slope		 Very limited Slope	1.00	
57B: Chillum	100	 Not limited 		 Not limited 	 	 Somewhat limited Slope	0.50	
57C: Chillum	100	 Somewhat limited Slope	0.63	 Somewhat limited Slope	 0.63	 Very limited Slope	1.00	
57D: Chillum				 Very limited Slope	1 1.00	 Very limited Slope	1.00	
57UB: Chillum	- - 50	 Not limited 		 Not limited 	 	 Not limited 		
Urban Land	- 45	Not rated	1	Not rated		Not rated	Į.	
58B: Sassafras	100	 Not limited 		 Not limited	 	 Somewhat limited Slope	0.50	
58C: Sassafras	100			 Somewhat limited Slope			1.00	
59A: Beltsville	- 100	 Somewhat limited Depth to saturated zone	0.39		1.00		0.39	
59B: Beltsville	 - 100 	 Somewhat limited Depth to saturated zone 		 Very limited Depth to saturated zone 	 1.00 	Depth to	0.50	
61B: Croom	100	 Not limited 	 	 Not limited 	 	saturated zone Somewhat limited Slope 	 0.50	

Table ENG-3.--Building Site Development--Continued

1 1	 Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings 	
	 	 Rating class and limiting features 		 Rating class and limiting features 		 Rating class and limiting features 	Value
61C: Croom	100	 Somewhat limited Slope				 Very limited Slope	1.00
61D: Croom	 100 			 Very limited Slope		 Very limited Slope	1.00
61E: Croom	 100 					 Very limited Slope	1.00
61UB: Croom	 50	 Not limited	 	 Not limited	 	 Not limited	
Urban Land	50	 Not rated	Ì	 Not rated		 Not rated	
64B: Croom	 50 	 Not limited	 	 Not limited 	 	 Somewhat limited Slope	0.50
Bucks	 30 	 Somewhat limited Shrink-swell 	 0.50	 Somewhat limited Shrink-swell 	 0.50	 Somewhat limited Slope Shrink-swell	 0.50 0.50
64C: Croom	 50 	 Somewhat limited Slope	 0.63	 Somewhat limited Slope	 0.63	 Very limited Slope	1.00
Bucks	 30 	Slope	0.63	Slope	0.63	 Very limited Slope Shrink-swell	11.00
65B: Wheaton	100	 Not limited	 	 Not limited	 	 Not limited	
66UB: Wheaton	 50	 Not limited		 Not limited		 Not limited	
Urban Land	30	 Not rated		 Not rated		 Not rated	
66UC: Wheaton	 50 	 Somewhat limited Slope	0.63	 Somewhat limited Slope	0.63	 Very limited Slope	1.00
Urban Land	 30 	 Not rated 	 	 Not rated 	 	 Not rated 	
67UB: Urban Land	 60 	 Not rated 	 	 Not rated 	 	 Not rated 	
Wheaton	25	Not rated	İ	Not rated 		Not rated	İ
100: Dumps, Refuse	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	

Table ENG-3.--Building Site Development--Continued

	 Pct. of map unit	basements				Small commercial buildings	
	 	 Rating class and limiting features 		 Rating class and limiting features			Value
109D: Hyattstown	90	Slope	1.00	 Very limited Slope Depth to soft bedrock	1.00	 Very limited Slope Depth to soft bedrock	11.00
109E: Hyattstown	 90 	Slope	1.00		11.00	 Very limited Slope Depth to soft bedrock	11.00
116C: Blocktown	 85 	Depth to soft bedrock	11.00	Depth to soft bedrock	1.00	 Very limited Slope Depth to soft bedrock	11.00
116D: Blocktown	 85 	l grobe	11.00		1.00 1.00	 Very limited Slope Depth to soft bedrock	1.00
116E: Blocktown	 85 	Slope			1.00	 Very limited Slope Depth to soft bedrock	1.00
200: Pits, Gravel	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	
201: Pits, Quarry	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	
300: Rock Outcrop	 80	 Not rated 	 	 Not rated 	 	 Not rated 	
Blocktown	 20 	Depth to soft	1.00	 Very limited Depth to soft bedrock 	11.00	 Very limited Depth to soft bedrock Slope	1.00
400: Urban Land	 100	 Not rated 	 	 Not rated 	 	 Not rated 	
W: Census Water	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	